

## Universal Hemp Panel

### ANALYZED BY:

Anresco Laboratories  
1375 Van Dyke Avenue,  
San Francisco, CA 94124  
DEA# PA0202945

### CUSTOMER:

Visionary Beverages LLC  
3110 Commonwealth Dr.  
Dallas 76126

### MANUFACTURER:

Visionary Beverages LLC  
3110 Commonwealth Dr  
Dallas 75247  
DSHS#1028222



### SAMPLE INFORMATION

**Sample No.:** 1434804  
**Product Name:** Buddi Seltzer - Berry Lime  
**Matrix:** Bliss  
**Lot #:** Edible (Carbonated Beverage)  
2026BD-061

**Date Collected:** 08/06/2026  
**Date Received:** 08/06/2026  
**Date Reported:** 08/12/2026  
**Expiration Date:** 08/05/2027

### TEST SUMMARY

**Cannabinoid Profile:** ✔ Tested  
**Pesticide Residue Screen:** ✔ Pass  
**Heavy Metal Screen:** ✔ Pass  
**Mycotoxin Screen:** ✔ Pass

**Microbiological Screen:** ✔ Pass  
**Residual Solvent Screen:** ✔ Pass  
**Foreign Material:** ✔ Pass

### Cannabinoid Profile ✔ Tested

08/06/2026

**Method:** MF-CHEM-15  
**Instrument:** Liquid Chromatography Diode Array Detector (LC-DAD)  
**Limit of Detection** 0.0008 mg/g  
**Limit of Quantitation** 0.0025 mg/g  
**Measurement of Uncertainty Average:** ±6.3%

| Cannabinoid                   | mg/g     | mg/ml  | %       | mg/serving | mg/package | Labeled mg/serving | % Difference |
|-------------------------------|----------|--------|---------|------------|------------|--------------------|--------------|
| Δ8-THC                        | ND       | ND     | ND      | ND         | ND         | -                  | -            |
| Δ9-THC                        | 0.0276   | 0.0275 | 0.00276 | 9.78       | 9.78       | 10                 | 2.21         |
| Δ9-THCA                       | ND       | ND     | ND      | ND         | ND         | -                  | -            |
| THCV                          | ND       | ND     | ND      | ND         | ND         | -                  | -            |
| THCVA                         | ND       | ND     | ND      | ND         | ND         | -                  | -            |
| CBD                           | ND       | ND     | ND      | ND         | ND         | -                  | -            |
| CBDA                          | ND       | ND     | ND      | ND         | ND         | -                  | -            |
| CBC                           | ND       | ND     | ND      | ND         | ND         | -                  | -            |
| CBCA                          | ND       | ND     | ND      | ND         | ND         | -                  | -            |
| CBDV                          | ND       | ND     | ND      | ND         | ND         | -                  | -            |
| CBG                           | ND       | ND     | ND      | ND         | ND         | -                  | -            |
| CBGA                          | ND       | ND     | ND      | ND         | ND         | -                  | -            |
| CBN                           | ND       | ND     | ND      | ND         | ND         | -                  | -            |
| Exo-THC                       | ND       | ND     | ND      | ND         | ND         | -                  | -            |
| (6aR,9R)-Δ10-THC              | ND       | ND     | ND      | ND         | ND         | -                  | -            |
| (6aR,9S)-Δ10-THC              | ND       | ND     | ND      | ND         | ND         | -                  | -            |
| 9(R)-Hexahydrocannabinol      | ND       | ND     | ND      | ND         | ND         | -                  | -            |
| 9(S)-Hexahydrocannabinol      | ND       | ND     | ND      | ND         | ND         | -                  | -            |
| Δ8-THC-O-Acetate              | ND       | ND     | ND      | ND         | ND         | -                  | -            |
| Δ9-THC-O-Acetate              | ND       | ND     | ND      | ND         | ND         | -                  | -            |
| THC-O-Phosphate               | NT       | NT     | NT      | NT         | NT         | -                  | -            |
| Δ8-THCP                       | ND       | ND     | ND      | ND         | ND         | -                  | -            |
| Δ9-THCP                       | ND       | ND     | ND      | ND         | ND         | -                  | -            |
| Total Δ9-THC                  | 0.0276   | 0.0275 | 0.00276 | 9.78       | 9.78       | -                  | -            |
| Total THC                     | 0.0276   | 0.0275 | 0.00276 | 9.78       | 9.78       | -                  | -            |
| Total CBD                     | ND       | ND     | ND      | ND         | ND         | -                  | -            |
| Total Cannabinoids            | 0.0276   | 0.0275 | 0.00276 | 9.78       | 9.78       | -                  | -            |
| Sum of Cannabinoids           | 0.0276   | 0.0275 | 0.00276 | 9.78       | 9.78       | -                  | -            |
| <b>Serving Weight (g)</b>     | 354.3255 |        |         |            |            |                    |              |
| <b>Package Weight (g)</b>     | 354.3255 |        |         |            |            |                    |              |
| <b>g/ml Conversion Factor</b> | 0.9981   |        |         |            |            |                    |              |

Total Δ9-THC = Δ9-THC + (0.877 \* THCA)  
Total THC = Δ8-THC + Δ9-THC + (0.877 \* THCA)  
Total CBD = CBD + (0.877 \* CBDA)

Total Cannabinoids =  $\Sigma$  (neutral cannabinoids) +  $[0.877 * \Sigma$  (acidic cannabinoids)]

## Microbiological Screen ✔ Pass

08/12/2026

| Analyte                              | Findings | Units | Method              | Limit  | Status |
|--------------------------------------|----------|-------|---------------------|--------|--------|
| Salmonella                           | ND       | /25g  | AOAC 2016.01        | ND     | Pass   |
| STEC                                 | ND       | /25g  | MF-MICRO-18         | ND     | Pass   |
| Aspergillus flavus                   | ND       | /25g  | MF-MICRO-14         | ND     | Pass   |
| Aspergillus fumigatus                | ND       | /25g  | MF-MICRO-14         | ND     | Pass   |
| Aspergillus niger                    | ND       | /25g  | MF-MICRO-14         | ND     | Pass   |
| Aspergillus terreus                  | ND       | /25g  | MF-MICRO-14         | ND     | Pass   |
| Listeria Species                     | ND       | /25g  | AOAC 2016.07        | ND     | Pass   |
| Total Aerobic Plate Count            | 0/10     | cfu/g | FDA BAM             | 100000 | Pass   |
| Total Coliforms                      | 0/10     | cfu/g | FDA BAM - ECC Agar  | 100    | Pass   |
| E. Coli                              | ND       | /1g   | FDA BAM Modified    | ND     | Pass   |
| Total Enterobacteriaceae             | <1       | cfu/g | CMMEF - VRBG Agar   | ND     | Pass   |
| Staphylococcus aureus                | <1       | cfu/g | AOAC 2003.07        | ND     | Pass   |
| Bile-Tolerant Gram-Negative Bacteria | <1       | cfu/g | CMMEF - VRBG Agar   | ND     | Pass   |
| Total Yeast and Mold                 | 0/10     | cfu/g | FDA BAM             | 10000  | Pass   |
| Yersinia                             | ND       | /25g  | foodproof® Yersinia | ND     | Pass   |
| Campylobacter                        | ND       | /25g  | MDS Campylobacter   | ND     | Pass   |

## Pesticide Residue Screen ✔ Pass

08/12/2026

**Method:** MF-CHEM-13

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

**Measurement of Uncertainty Average:**  $\pm 21.40\%$

| Analyte             | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|---------------------|---------------|----------------|-------------|--------|
| Abamectin           | 0.015/0.05    | ND             | 0.05        | Pass   |
| Acephate            | 0.003/0.01    | ND             | 0.01        | Pass   |
| Acequinocyl         | 0.003/0.01    | ND             | 0.01        | Pass   |
| Acetamiprid         | 0.003/0.01    | ND             | 0.01        | Pass   |
| Aldicarb            | 0.003/0.01    | ND             | 0.01        | Pass   |
| Azoxystrobin        | 0.003/0.01    | ND             | 0.01        | Pass   |
| Bifenazate          | 0.003/0.01    | ND             | 0.01        | Pass   |
| Bifenthrin          | 0.003/0.01    | ND             | 0.01        | Pass   |
| Boscalid            | 0.003/0.01    | ND             | 0.01        | Pass   |
| Captan              | 0.250/0.7     | ND             | 0.7         | Pass   |
| Carbaryl            | 0.003/0.01    | ND             | 0.01        | Pass   |
| Carbofuran          | 0.003/0.01    | ND             | 0.01        | Pass   |
| Chlorantraniliprole | 0.003/0.01    | ND             | 0.01        | Pass   |
| Chlordane           | 0.020/0.06    | ND             | 0.06        | Pass   |
| Chlorfenapyr        | 0.015/0.05    | ND             | 0.05        | Pass   |
| Chlorpyrifos        | 0.003/0.01    | ND             | 0.01        | Pass   |
| Clofentezine        | 0.003/0.01    | ND             | 0.01        | Pass   |
| Coumaphos           | 0.003/0.01    | ND             | 0.01        | Pass   |
| Cyfluthrin          | 0.015/0.05    | ND             | 0.05        | Pass   |
| Cypermethrin        | 0.015/0.05    | ND             | 0.05        | Pass   |
| Daminozide          | 0.003/0.01    | ND             | 0.01        | Pass   |
| DDVP (Dichlorvos)   | 0.003/0.01    | ND             | 0.01        | Pass   |
| Diazinon            | 0.003/0.01    | ND             | 0.01        | Pass   |
| Dimethoate          | 0.003/0.01    | ND             | 0.01        | Pass   |
| Dimethomorph        | 0.003/0.01    | ND             | 0.01        | Pass   |
| Ethoprop(hos)       | 0.003/0.01    | ND             | 0.01        | Pass   |
| Etofenprox          | 0.003/0.01    | ND             | 0.01        | Pass   |
| Etoxazole           | 0.003/0.01    | ND             | 0.01        | Pass   |
| Fenhexamid          | 0.007/0.02    | ND             | 0.02        | Pass   |
| Fenoxycarb          | 0.003/0.01    | ND             | 0.01        | Pass   |
| Fenpyroximate       | 0.007/0.02    | ND             | 0.02        | Pass   |
| Fipronil            | 0.003/0.01    | ND             | 0.01        | Pass   |
| Flonicamid          | 0.003/0.01    | ND             | 0.01        | Pass   |
| Fludioxonil         | 0.003/0.01    | ND             | 0.01        | Pass   |
| Hexythiazox         | 0.003/0.01    | ND             | 0.01        | Pass   |
| Imazalil            | 0.003/0.01    | ND             | 0.01        | Pass   |
| Imidacloprid        | 0.003/0.01    | ND             | 0.01        | Pass   |
| Kresoxim Methyl     | 0.003/0.01    | ND             | 0.01        | Pass   |
| Malathion           | 0.003/0.01    | ND             | 0.01        | Pass   |
| Metalaxyl           | 0.003/0.01    | ND             | 0.01        | Pass   |

| Analyte                 | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|-------------------------|---------------|----------------|-------------|--------|
| Methiocarb              | 0.003/0.01    | ND             | 0.01        | Pass   |
| Methomyl                | 0.003/0.01    | ND             | 0.01        | Pass   |
| Methyl parathion        | 0.003/0.01    | ND             | 0.01        | Pass   |
| Mevinphos               | 0.007/0.02    | ND             | 0.02        | Pass   |
| Myclobutanil            | 0.003/0.01    | ND             | 0.01        | Pass   |
| Naled                   | 0.003/0.01    | ND             | 0.01        | Pass   |
| Oxamyl                  | 0.003/0.01    | ND             | 0.01        | Pass   |
| Paclbutrazol            | 0.003/0.01    | ND             | 0.01        | Pass   |
| Pentachloronitrobenzene | 0.003/0.01    | ND             | 0.01        | Pass   |
| Permethrins             | 0.015/0.05    | ND             | 0.05        | Pass   |
| Phosmet                 | 0.003/0.01    | ND             | 0.01        | Pass   |
| Piperonyl Butoxide      | 0.003/0.01    | ND             | 0.01        | Pass   |
| Prallethrin             | 0.015/0.05    | ND             | 0.05        | Pass   |
| Propiconazole           | 0.003/0.01    | ND             | 0.01        | Pass   |
| Propoxur                | 0.003/0.01    | ND             | 0.01        | Pass   |
| Pyrethrins              | 0.015/0.05    | ND             | 0.05        | Pass   |
| Pyridaben               | 0.003/0.01    | ND             | 0.01        | Pass   |
| Spinetoram              | 0.003/0.01    | ND             | 0.01        | Pass   |
| Spinosad                | 0.003/0.01    | ND             | 0.01        | Pass   |
| Spiromesifen            | 0.003/0.01    | ND             | 0.01        | Pass   |
| Spirotetramat           | 0.003/0.01    | ND             | 0.01        | Pass   |
| Spiroxamine             | 0.003/0.01    | ND             | 0.01        | Pass   |
| Tebuconazole            | 0.003/0.01    | ND             | 0.01        | Pass   |
| Thiacloprid             | 0.003/0.01    | ND             | 0.01        | Pass   |
| Thiamethoxam            | 0.003/0.01    | ND             | 0.01        | Pass   |
| Trifloxystrobin         | 0.003/0.01    | ND             | 0.01        | Pass   |
| Azadirachtin            | 0.100/0.30    | ND             | 0.3         | Pass   |
| Chloromequat Chloride   | 0.03/0.10     | ND             | 0.1         | Pass   |
| MGK 264                 | 0.03/0.10     | ND             | 0.1         | Pass   |

## Residual Solvent Screen ✔ Pass

08/12/2026

Method: MF-CHEM-32

Measurement of Uncertainty Average: ±1.43%

| Analyte            | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status             |
|--------------------|----------------|-----------------|--------------|--------------------|
| Propane            | 67/200         | ND              | 210          | Pass               |
| (+/-)-2-Butanol    | 13.3/40        | ND              | 5000         | Pass               |
| 1,1-Dichloroethene | 2/4            | ND              | 8            | Pass               |
| 1,2-Dichloroethane | 0.2/0.5        | ND              | 5            | Pass               |
| 1,4-Dioxane        | 13.3/40        | ND              | 30           | Pass               |
| 2-Ethoxyethanol    | 13.3/40        | ND              | 160          | Pass               |
| Acetone            | 67/200         | ND              | 500          | Pass               |
| Acetonitrile       | 67/200         | ND              | 410          | Pass               |
| Benzene            | 0.2/0.5        | ND              | 1            | Pass               |
| Chloroform         | 0.2/0.5        | ND              | 2            | Pass               |
| Cumene             | 13.3/40        | ND              | 70           | Pass               |
| Cyclohexane        | 13.3/40        | ND              | 3880         | Pass               |
| Ethanol            | 67/200         | 363.00          | 5000         | Pass               |
| Ethyl acetate      | 67/200         | ND              | 1000         | Pass               |
| Ethyl ether        | 67/200         | ND              | 5000         | Pass               |
| Ethylene Glycol    | 13.3/40        | ND              | 620          | Pass               |
| Ethylene oxide     | 0.2/0.5        | ND              | 5            | Pass               |
| n-Heptane          | 67/200         | ND              | 500          | Pass               |
| Isopropyl Acetate  | 13.3/40        | ND              | 5000         | Pass               |
| Isopropyl alcohol  | 67/200         | ND              | 500          | Pass               |
| Methanol           | 67/200         | ND              | 500          | Pass               |
| Methylene chloride | 0.2/0.5        | ND              | 600          | Pass               |
| Toluene            | 67/200         | ND              | 53           | Pass               |
| Tetrahydrofuran    | 13.3/40        | ND              | 720          | Pass               |
| Trichloroethene    | 13.3/40        | ND              | 80           | Pass               |
| Isobutane          | 6.7/20         | ND              | -            | See Total Butanes  |
| n-Butane           | 67/200         | ND              | -            | See Total Butanes  |
| Total Butanes      | 6.7/40         | ND              | 500          | Pass               |
| 2,2-Dimethylbutane | 2.7/8          | ND              | -            | See Total Hexanes  |
| 2,3-Dimethylbutane | 2.7/8          | ND              | -            | See Total Hexanes  |
| 2-Methylpentane    | 2.7/8          | ND              | -            | Pass               |
| 3-Methylpentane    | 2.7/8          | ND              | -            | Pass               |
| n-Hexane           | 67/200         | ND              | -            | See Total Hexanes  |
| Total Hexanes      | 2.7/8          | ND              | 18           | Pass               |
| 2 Methylbutane     | 4.4/13.34      | ND              | -            | See Total Pentanes |
| Neopentane         | 4.4/13.34      | ND              | -            | See Total Pentanes |
| n-Pentane          | 67/200         | ND              | -            | See Total Pentanes |
| Total Pentanes     | 4.4/13.34      | ND              | 500          | Pass               |
| Ethylbenzene       | 3.3/10         | ND              | -            | See Total Xylenes  |
| m+p-Xylene         | 6.7/20         | ND              | -            | See Total Xylenes  |
| o-Xylene           | 3.3/10         | ND              | -            | See Total Xylenes  |
| Total Xylenes      | 67/200         | ND              | 217          | Pass               |

## Heavy Metal Screen ✔ Pass

08/12/2026

Method: MF-CHEM-16

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Measurement of Uncertainty Average: ±4.4%

| Analyte | LOD / LOQ (µg/g) | Findings (µg/g) | Limit | Status |
|---------|------------------|-----------------|-------|--------|
| Arsenic | 0.033/0.101      | ND              | 0.2   | Pass   |
| Cadmium | 0.047/0.141      | ND              | 0.2   | Pass   |
| Mercury | 0.014/0.05       | ND              | 0.1   | Pass   |
| Lead    | 0.107/0.324      | ND              | 0.5   | Pass   |

## Foreign Material ✔ Pass

08/12/2026

Method: MF-CHEM-7

| Analyte                        | Findings | Limit    | Status |
|--------------------------------|----------|----------|--------|
| Sand, Soils, Cinders, and Dirt | ND       | 25%      | Pass   |
| Mold                           | ND       | 25%      | Pass   |
| Imbedded Foreign Material      | ND       | 25%      | Pass   |
| Insect Fragment                | ND       | 1 per 3g | Pass   |
| Hair                           | ND       | 1 per 3g | Pass   |
| Mammalian Excreta              | ND       | 1 per 3g | Pass   |

## Mycotoxin Screen ✔ Pass

08/12/2026

**Method:** MF-CHEM-13

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

**Measurement of Uncertainty (MU):** ±20.21%

| Analyte          | LOD/LOQ (ppb) | Findings (ppb) | Limit (ppb) | Status |
|------------------|---------------|----------------|-------------|--------|
| Aflatoxin B1     | 2/5           | ND             | 20          | Pass   |
| Aflatoxin B2     | 2/5           | ND             | 20          | Pass   |
| Aflatoxin G1     | 2/5           | ND             | 20          | Pass   |
| Aflatoxin G2     | 2/5           | ND             | 20          | Pass   |
| Total Aflatoxins | 8/20          | ND             | 20          | Pass   |
| Ochratoxin A     | 2/5           | ND             | 20          | Pass   |

**F.S. § 581.217 & FDACS Rule § 5K-4.034 Manufacturer Attestation:**

Per manufacturer attestation, this batch was processed in a facility holding a valid health or food safety permit and meets all relevant sanitation requirements. Pursuant to Rule § 5K-4.034, the manufacturer maintains these permits and facility inspection records to provide upon request. Verifying this documentation falls outside the scope of the lab's analytical testing.

ND = None Detected  
LOD = Limit of Detection  
LOQ = Limit of Quantitation

Reported by




Vu Lam  
Lab Co Director




Scan to verify

# Cannabis Potency Report

## <Sample Information>

|                  |                                |              |                        |
|------------------|--------------------------------|--------------|------------------------|
| Sample Name      | : 1434804A 2.5x                |              |                        |
| Sample ID        | : run020                       |              |                        |
| Data Filename    | : 1434804A 2.5x_run020_003.lcd |              |                        |
| Method Filename  | : CanEX1_260505_CP5-26,-27.lcm |              |                        |
| Batch Filename   | : 08-06-2026 processed.lcb     |              |                        |
| Vial #           | : 1-31                         | Sample Type  | : Unknown              |
| Injection Volume | : 5 uL                         |              |                        |
| Date Acquired    | : 8/6/2026 3:18:23 PM          | Acquired by  | : System Administrator |
| Date Processed   | : 8/6/2026 4:15:22 PM          | Processed by | : System Administrator |
| Sample Amount    | : 4.0093 grams                 |              |                        |
| Dilution Factor  | : 10                           |              |                        |

## <Cannabinoid Chromatogram>



## <Peak Table>

PDA Ch1 228nm


| Peak# | Ret. Time | Name       | Area  | Height | Conc.  | Unit |
|-------|-----------|------------|-------|--------|--------|------|
| 1     | 4.519     | Delta9-THC | 48498 | 12581  | 0.0276 | mg/g |

# Cannabis Potency Report

## <Sample Information>

|                  |                                |              |                        |
|------------------|--------------------------------|--------------|------------------------|
| Sample Name      | : 1434804B 2.5x                |              |                        |
| Sample ID        | : run021                       |              |                        |
| Data Filename    | : 1434804B 2.5x_run021_004.lcd |              |                        |
| Method Filename  | : CanEX1_260505_CP5-26,-27.lcm |              |                        |
| Batch Filename   | : 08-06-2026 processed.lcb     |              |                        |
| Vial #           | : 1-32                         | Sample Type  | : Unknown              |
| Injection Volume | : 5 uL                         |              |                        |
| Date Acquired    | : 8/6/2026 3:31:42 PM          | Acquired by  | : System Administrator |
| Date Processed   | : 8/6/2026 4:15:26 PM          | Processed by | : System Administrator |
| Sample Amount    | : 4.0049 grams                 |              |                        |
| Dilution Factor  | : 10                           |              |                        |

## <Cannabinoid Chromatogram>



## <Peak Table>

| Peak# | Ret. Time | Name       | Area  | Height | Conc.  | Unit |
|-------|-----------|------------|-------|--------|--------|------|
| 1     | 4.518     | Delta9-THC | 48537 | 12842  | 0.0276 | mg/g |